# OWOSSO Historic District Commission



Regular Meeting 6:00 p.m., April 15, 2015 Owosso City Council Chambers

### Regular Meeting Agenda

#### Owosso Downtown Historic District Commission

Wednesday, April 15, 2015, 6:00 p.m. Owosso City Council Chambers, 301 W Main St., Owosso, MI 48867

Call to order and roll call:

Review and approval of agenda: April 15, 2015

Review and approval of minutes: November 19, 2014

#### Communications:

- 1) Staff Memorandum
- 2) Meeting minutes of November 19, 2014 (Resolution)

**Public Comments:** 

Committee Reports: None

Public Hearings: None

#### **Items of Business:**

- 1) 112 W. Main Street Sign Application
- 2) 202 W. Exchange Street. Parge Application

**Public Comments:** 

**Board Comments:** 

#### Adjournment:

[The City of Owosso will provide necessary reasonable auxiliary aids and services, such as signers for the hearing impaired and audio tapes of printed materials being considered at the meeting, to individuals with disabilities at the meeting/hearing upon 72 hours notice to the City of Owosso. Individuals with disabilities requiring auxiliary aids on services should contact the City of Owosso by writing or calling Amy Kirkland, City Clerk, 301 W. Main St, Owosso, MI 48867 (989) 725-0500 or on the Internet. The City of Owosso Website address is <a href="https://www.ci.owosso.mi.us.">www.ci.owosso.mi.us.</a>]



# **MEMORANDUM**

DATE: April 15, 2015

TO: Chairman Scott Newman and the Downtown Historic District Commission

FROM: Joshua Adams; Executive Director, Owosso Main Street/DDA

RE: Regular HDC Meeting – November 19, 2014

Please see the enclosed packet for the <u>April 15, 2015</u> Owosso Downtown Historic District Commission (HDC) meeting. This is a regular meeting that is being called for the purpose of reviewing two applications. In this packet you will find documentation in support of the following application:

- 112 W. Main St. Application to apply a sign covering over the existing signage. Please
  note that the current tenant has already conducted the sign installation. A vinyl sign has
  been installed over top of the existing signage (the Mootzies sign). The applicant explains
  that the current sign covering is temporary until final design and costs are figured for
  permanent signage.
- **202 W. Exchange St.** Application to apply a parge coating to the building's façade. Please note that the property owner has already applied one coat of parge to the façade prior to applying for a certificate of appropriateness with the HDC.
- See enclosed documentation provided by applicants for additional information.

As always, if you have questions or need additional information before the meeting, please let me know. We will be meeting in the City Council chambers at 6:00 pm. Please let me know if you will not be in attendance.

#### **Affirmative Resolutions**

#### Owosso Downtown Historic District Commission

Wednesday, November 19, 2014, 6:00 p.m.
Owosso City Council Chambers,
301 W Main St., Owosso, MI 48867

#### Resolution 151504-01 - Approval of Agenda

Motior	n:			
Suppo	ort:			
	The Owosso Down April 15, 2015 as p		t Commission hereby app	roves the agenda of
	Aves:			
				_ _
	Approved:	Denied:	_	
Resol	lution 151504-02 – <i>F</i>	Approval of Minutes	5	
	n: ort:			
	The Owosso Histo 2014 as presented.		ion hereby approves the	minutes of June 18,
	Ayes:			
	-			_
	Approved:	Denied:		
Resol	lution 151504-03 – 1	12 W. Main Street		
	n: ort:			
	Certificate of App	ropriateness		
	exterior improveme Standards, as well Appropriateness fo	ents at <b>112 W. Main</b> s as local standards, h	Commission, finding that Street meets all the Secret nereby directs staff to issuing permit application as ang:	etary of the Interior's e a Certificate of
	1			
	2		·	
	3			

#### **Notice to Proceed**

	exterior improvements at <b>112 W. Main Street</b> do not meet the Secretary of t Interior's Standards, and are inappropriate for the district, but recognizing that t following condition(s) prevail:					
	hereby directs staff to issue a Notice to Proceed for the work and building permit application as applied for and illustrated, conditioned on the following:					
	Ayes: Nays:					
OR						
□ De	nial					
	The Owosso Downtown Historic District Commission, finding that the proposed exterior improvements at <b>112 W. Main Street</b> do not meet the Secretary of the Interior's Standards, and are inappropriate for the district, hereby denies the application.					
	Ayes: Nays:					
Resolu	ution 151504-04 – 202 W. Exchange Street					
Motion Suppo	: rt:					
	Certificate of Appropriateness					
	The Owosso Downtown Historic District Commission, finding that the proposed exterior improvements at <b>202 W. Exchange Street</b> meets all the Secretary of the Interior's Standards, as well as local standards, hereby directs staff to issue a Certificate of Appropriateness for the work and building permit application as applied for and illustrated, conditioned upon the following:					
	1 2 3					

#### **Notice to Proceed**

	The Owosso Downtown Historic District Commission, finding that the propose exterior improvements at <b>202 W. Exchange Street</b> do not meet the Secretary of the Interior's Standards, and are inappropriate for the district, but recognizing that the following condition(s) prevail:					
	hereby directs staff to issue a Notice to Proceed for the work and building permit application as applied for and illustrated, conditioned on the following:					
	Ayes: Nays:					
OR						
□ De	enial					
	The Owosso Downtown Historic District Commission, finding that the proposed exterior improvements at <b>202 W. Exchange Street</b> do not meet the Secretary of the Interior's Standards, and are inappropriate for the district, hereby denies the application.					
	Ayes: Nays:					
Resol	ution 151504-05 – Adjournment					
	n: vrt:					
	The Owosso Downtown Historic District Commission hereby adjourns the April 15, 2015 meeting, effective atpm.					
	Ayes: Nays:					
	Approved: Denied:					

# MINUTES FOR THE REGULAR MEETING DOWNTOWN HISTORIC DISTRICT COMMISSION

NOVEMBER 19, 2014 at 6:00 p.m. COUNCIL CHAMBERS / CITY HALL

**MEETING WAS CALLED TO ORDER** at 6:07 p.m. by Chairperson Newman.

ROLL CALL was taken by Recording Secretary Marty Stinson

**MEMBERS PRESENT**: Chairperson Scott Newman; Commissioners Lance Omer, Matthew Van Epps and Gary Wilson.

**MEMBERS ABSENT:** Vice-Chairperson Vincent Gonyou, Secretary Philip Hathaway; Commissioner James Eaton.

**OTHERS PRESENT:** Mr. Josh Adams, Owosso Main Street Manager; Ms. Susan Montenegro, Assistant City Manager and Director of Community Development; Mr. Ryan Henry, Kincaid Henry Building Group, Inc.; Tom Nemitz, Cornerstone Architects; and Mr. Randy Woodworth, Woodworth Commercial, LLC.

AGENDA APPROVAL: Motion by Commissioner Wilson, supported by Commissioner Van Epps to approve the agenda for the meeting of November 19, 2014 with the addition of a discussion regarding a sign installed over the previous sign at 112 W. Main Street.

Yeas: All. Motion was passed.

MINUTES APPROVAL: Motion by Commissioner Wilson, supported by Commissioner Van Epps to approve the minutes for June 18, 2014.

Yeas: All. Motion was passed.

#### **COMMUNICATIONS:**

- 1) Staff Memorandum
- 2) Meeting minutes of June 18, 2014 (Resolution)

**PUBLIC / BOARD COMMENTS: None** 

PUBLIC HEARINGS: None.

#### **ITEMS OF BUSINESS:**

#### 1) 202 W. Exchange Street - Parge Application

Contact was made with Mr. Dedic, the owner of this address. He stated he would not be attending this meeting due to work obligations. He had previously applied an inappropriate parge coating to the building's façade prior to applying for a certificate of appropriateness with the HDC. Discussion followed regarding the impossibility of removing the parge and what can be done at this time regarding future applications to this building and possible other violations in the district by others.

#### 2) 300 W. Main Street - Façade Renovation

Mr. Ryan Henry of Kincaid Henry Building Group, Inc. is representing Mr. Randy Woodworth for the 300 W. Main Street structure. He described the history and structure which is actually about five buildings connected together over the years. There will a six million dollar investment in this building as they pursue tax credits. The plan has already been submitted to the National Park Services, and they are also working with MSHDA for the 17 rental units. There will be a complete gut and rehab on the interior along with the façade renovation. Mr. Henry introduced Mr. Tom Nemitz from Cornerstone Architects.

Discussion followed with many components to the façade because of the many already in existence. Portions may be plain brick, some painted brick; and there will be some metal panels added over clay tile which is too fragile to continue to be exposed to the freeze/thaw process.

Historic District Commission Minutes November 19, 2014 Page 2 of 2

Discussion continued regarding windows and the fact the SHPO has reduced the standards regarding the composition of windows for some restoration projects. This building has had changes to it in the 1950's which is reason to no longer hold to strident historical standards. Some windows may be all metal rather than wood clad in other materials.

Motion by Commissioner Wilson, supported by Commissioner Van Epps:

The Owosso Downtown Historic District Commission, finding that the proposed exterior improvements at 300 W. Main Streets meets all the Secretary of the Interior's Standards, as well as local standards, hereby directs staff to issue a Certificate of Appropriateness for the work and building permit application as applied for and illustrated, conditioned upon the following:

1. Composite material being used to cover historic material because it's not possible to maintain in its original state pending confirmation of Secretary of Interior's Standards chosen windows. Yeas all. Motion carried.

#### 3) Sign at 112 W. Main Street

The previous sign is now wrapped in a new vinyl sign. Per Mr. Josh Adams, Owosso Main Street Manager, the building owner wanted to maintain the former sign. No action was taken at this time by the board. Mr. Adams will approach the owner for an HDC application.

#### **BOARD / PUBLIC COMMENTS:**

Mr. Adams received an e-mail about the home on N. Washington owned by Mr. Shattuck. They want to put in vinyl windows wood filled similar to what Mr. Civille used on his apartments. Board suggested checking with Mr. Henry for a list of his sources.

#### ADJOURNMENT:

Motion by	by Commissioner Omer; supported by Commissioner Wilson to adjourn the meeting at 8:05
p.m.	
Vaca all	Metion corried

Yeas all. Motion carried.	
	Phil Hathaway, Secretary
mms	.,, ,

# aty of owosso

# HISTORIC DISTRICT COMMISSION APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS

This application must be received by the Owosso Building Department a minimum of ten working days prior to the scheduling of the application on the Historic District Commission agenda. Applicants are strongly encouraged to conduct a preliminary discussion with staff and/or the Historic District Commission prior to the consideration of an application. The Commission generally meets on the Third Wednesday of each month.

Please consult the Secretary of the Interior's Standards for Rehabilitation and the Historic District Commission guidelines for specific details on permissible alterations to the exterior of a structure or for the construction or demolition of any structure within the Historic District that require a CoA.

The following information shall be attached to this application. Additional information is encouraged:

- 1. A detailed plan drawn to a legible scale depicting the proposed alteration including size, a detailed description of materials and finishing work to be completed. If the size of the plan exceeds 11x17 then additional copies may be requested.
  - Plan shall show existing property lines and any prominent features on the site.
- 2. A minimum of the following photographs labeled to indicate the direction of view:
  - Current photos of the structure as seen from the street and/or façade of alteration;
  - Close up of existing detail in present condition proposed for alteration.


Date: 4-/3-/3	
Property Address: 1/2 W. Main St.	Owner's Name: Adam Voss
Phone One: <u>989-4/3-2/83</u> Other Phone: <u>989-</u>	725-1612 Email: <u>awss 04@hotmai</u> l.com
Applicants Address: 629 E. Comstock St.	Applicants Name: <u>Adam Voss</u>
Phone One: 989 4/3-2/83 Other Phone: 989-7	25-1612 Email: <u>avoss 04 Photma</u> :1.con
Does the property have or will it have before the propose a smoke alarm complying with the requirements of the sact, 1972 PA 230, MCL 125.1501-12501531*.	Stille-DeRosset-Hale single state construction code
Description of Work proposed, BE SPECIFIC (attach sheet	ets describing activities, materials, dimensions, etc.)
Applicant's Signature	<del></del>
Property Owner's Signature	<del></del>
Please contact Josh Adams for further inforr josh.adams@ci.owosso.mi.us.	nation 989.494.3344 during business hours, or

#### Return to City Hall, 301 W. Main St., Owosso, MI 48867

\*"Fire alarm system" means a system designed to detect and annunciate the presence of fire or by-products of fire. Fire alarm system includes smoke alarms. "Smoke alarm" means a single-station or multiple-station alarm responsive to smoke and not connected to a system. As used in this subdivision, "single-station alarm" means an assembly incorporating a detector, the control equipment, and the alarm sounding devices into a single unit, operated from a power supply either in the unit or obtained at the point of installation.

"Multiple station alarm" means 2 or more single station alarms that are capable of interconnection such that actuation of 1 alarm causes all integrated separate audible alarms to operate.

The current SMITH& Voss salon sign is temporary until final design and cost is figured for permenant sign.





#### **Mounting Options**









#### **ABOUT THESE LETTERS:**

GemTrim letters and logos are made by chemically bonding GemTrim to 3/16" thick router-cut acrylic. Translucent acrylic colors may show mounting hardware, please keep this in mind when selecting acrylic. Refer to page 42 for standard acrylic colors. Custom colors are only possible by painting the completed letter after trim has been applied. Therefore any custom color will be the color of the face and trim. A 30% additional charge plus \$20 paint match fee will be applied on these orders. GemTrim letters can be made with either the 3/4" or 1" standard trim width. Not all colors are available in 3/4" trim.

#### PRICE NOTES:

- Fractional Sizes round up to the next largest size
- Minimum Sizes listed which also pertains to lower case
- Installation Templates are available \$4.25 per piece
- **Shipping:** Max. UPS size is 36" x 48"; larger sizes ship by truck
- Minimum Stroke is 1/2"
- Some Serif & Script Fonts might not be available

#### **GEMTRIM LETTERS**

В	LOCK
	1




	ВІ	LOCK	SERIF	& SCRIPT
SIZE	1	2	1	2
6"	\$39	\$44	NA	NA
7	43	49	NA	NA
8	46	52	NA	NA
9	49	55	NA	NA
10	53	60	\$60	\$68
11	58	65	65	73
12	63	71	71	80
13	69	78	78	88
14	76	86	86	97
15	79	89	89	100
16	80	90	90	101
17	81	91	91	102
18	82	92	92	104
19	85	96	96	108
20	88	99	99	111
21	93	105	105	118
22	97	109	109	123
23	101	114	114	128
24	105	118	118	133
25*	111	125	125	140
26*	117	132	132	148
27*	121	136	136	153
28*	128	144	144	162
29*	131	147	147	165
30*	138	155	155	174
31*	142	160	160	180
32*	146	164	164	184
33*	154	173	173	194
34*	161	181	181	203
35*	166	186	186	209
36*	175	196	196	220
37*	180	-202	202	227
38*	185	208	208	233
39*	191	214	214	240
40*	197	221	221	248
41*	206	231	231	259
42*	219	246	246	276
43*	226	254	254	285
44*	234	263	263	295
45*	238	267	267	300
46*	245	275	275	308
47*	249	279	279	313
48*	251	282	282	316

Letter Size - Max. Dimension

ED-Lit Letters & Logos





# **Custom GemLite Letters & Logos**

Beyond our six standard letter styles, GemLite letters can be customized for more creative signage. Nearly any style or logo can be produced in GemLite Formed Channel Letters. Typically a 9" capital letter height is required for block styles, while most serif

Looking for more custom solutions?

See page 124 for GemLite channel panels.



122

or script styles require a 12" capital letter height. For small serifs or extremely thin strokes, call Gemini to confirm your design can be created with our materials.

Not for use with high-heat and/ or high-voltage lighting systems. **Light with low-profile** LED systems only.




#### See details page 129.

# **GemLite Custom Letter & Logo Pricing**

#### **FORMED CHANNEL CAN WITH FACE**







Call for quote on larger sizes.

\*Oversize shipping item.



**NOTE ON LED USAGE:** GemLite Formed Channel Letters are UL-recognized components for LED installations. The renewable resource plastics used in the faces and cans have a flammability rating of 1 and fire rating of 94HB, and can be used with virtually any low-voltage, low-profile lighting system that does not require a metal can for a heat sink. These letters are not for use with any neon or other lighting system of greater than 24V.

sales@signletters.com

#### 123

#### emTrim



#### 4" WIDE GEMTRIM

10' Sticks	By the foot	By the roll (200')	By the case (5 rolls)
\$6.00*	\$0.80	\$100.00	\$490.00


dd \$20 NET box charge for 10' lengths. 200 sticks per box

#### WIDE GEMTRIM

10' Sticks	By the foot	By the roll (150')	By the case (5 rolls)
\$7.00**	\$0.91	\$91.00	\$426.00

Add \$20 NET box charge for 10' lengths. 150 sticks per box

#### Standard Trim Colors (custom colors also available)





# GEMTRIM™ ROLLS & STICKS

- Manufactured by Gemini
- Guaranteed not to delaminate, crack or fade
- For Neon or LED letters
- Meets all UL codes for sign letters

GemTrim material is Cellulose Acetate Butyrate (CAB), extruded around aluminum foil and is manufactured by Gemini.

All trim is shipped within 24 hours in 10' lengths and 150' rolls (1"), or 200' rolls (3/4").

Custom colors and lengths are available – call for quote. All CAB colors are available. 40-roll minimum on all non-standard colors.

Bonding GemTrim to Acrylic: Tack pieces with WELD-ON #4 or Methylene Chloride, then run a full bead of WELD-ON #16 to seal parts.

Bonding GemTrim to Polycarbonate: Tack pieces with Methylene Chloride, then run a full bead of WELD-ON #16 or WELD-ON #40 to seal parts.



For lowest pricing and fastest delivery, ask for GemTrim from your local sign supply distributor.



Silver 8885



1.800.538.8377



#### **Mounting Options**







#### **ABOUT THESE LETTERS:**

GemTrim letters and logos are made by chemically bonding GemTrim to 3/16" thick router-cut acrylic. Translucent acrylic colors may show mounting hardware, please keep this in mind when selecting acrylic. Refer to page 42 for standard acrylic colors. Custom colors are only possible by painting the completed letter after trim has been applied. Therefore any custom color will be the color of the face and trim. A 30% additional charge plus \$20 paint match fee will be applied on these orders. GemTrim letters can be made with either the 3/4" or 1" standard trim width. Not all colors are available in 3/4" trim.

#### PRICE NOTES:

- Fractional Sizes round up to the next largest size
- Minimum Sizes listed which also pertains to lower case
- Installation Templates are available \$4.25 per piece
- Shipping: Max. UPS size is 36" x 48"; larger sizes ship by truck
   Minimum Stroke is 1/2"
- Some Serif & Script Fonts might not be available

## **GEMTRIM LETTERS**

		BL	OCK	SERIF	& SCRIPT
_	SIZE	1	2	1	2
	6"	\$39	\$44	NA	NA
	7	43	49	NA	NA
	8	46	52	NA	NA
	9	49	55	NA	NA
	10	53	60	\$60	\$68
	11	58	65	65	73
	12	63	71	71	80
	13	69	78	78	88
	14	76	86	86	97
	15	79	89	89	100
	16	80	90	90	101
	17	81	91	91	102
	18	82	92	92	104
ig _	19	85	96	96	108
e P	20	88	99	99	111
Cas	21	93	105	105	118
er _	22	97	109	109	123
Jpp	23	101	114	114	128
ng _	24	105	118	118	133
ndi	25*	111	125	125	140
is 75% of Corresponding Upper Case Price	26*	117	132	132	148
rres	27*	121	136	136	153
<b>೨</b>	28*	128	144	144	162
of	29*	131	147	147	165
.2%	30*	138	155	155	174
IS.	31*	142	160	160	180
41					

36*	175	196
37*	180	-202
38*	185	208
39*	191	214
40*	107	221

146

154

161

166

32\*

33\*

34\*

35\*

214 214 240 221 221 248 41\* 206 231 231 259 42\* 219 246 246 276 43\* 226 254 254 285 44\* 234 263 263 295

164

173

181

186

164

173

181

186

196

202

208

282

184

194

203

209

220

227

233

 44\*
 234
 263
 263
 295

 45\*
 238
 267
 267
 300

 46\*
 245
 275
 275
 308

 47\*
 249
 279
 279
 313

282

\*Oversize; may ship via truck.

251

48\*

sales@signletters.com

316

# **GemLite Custom Letter & Logo Pricing**

Pricing is **without** lights.
Call for quote on LED-lit letters.
All pricing is for **plain mount**.

#### **FORMED CHANNEL CAN WITH FACE**

	FLAT FACE	ROUND or PRISMATIC FACE
9"	\$61	\$76
10	71	89
12	82	103
13	89	111
14	97	121
15	103	129
16	118	148
17	130	163
18	142	178
19	160	200
20	175	219
21	191	239
22	209	261
23	226	283
24	249	311
27*	314	393
30*	383	479
33*	456	570
36*	535	669





Call for quote on larger sizes.

\*Oversize shipping item.



GemLite Formed Channel Letters are UL-recognized components for LED installations. The renewable resource plastics used in the faces and cans have a flammability rating of 1 and fire rating of 94HB, and can be used with virtually any low-voltage, low-profile lighting system that does not require a metal can for a heat sink. These letters are not for use with any neon or other lighting system of greater than 24V.

# CITY OF OWOSSO

# HISTORIC DISTRICT COMMISSION APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS

This application must be received by the Owosso Building Department a minimum of ten working days prior to the scheduling of the application on the Historic District Commission agenda. Applicants are strongly encouraged to conduct a preliminary discussion with staff and/or the Historic District Commission prior to the consideration of an application. The Commission generally meets on the Third Wednesday of each month.

Please consult the Secretary of the Interior's Standards for Rehabilitation and the Historic District Commission guidelines for specific details on permissible alterations to the exterior of a structure or for the construction or demolition of any structure within the Historic District that require a CoA.

The following information shall be attached to this application. Additional information is encouraged:

- A detailed plan drawn to a legible scale depicting the proposed alteration including size, a detailed description of materials and finishing work to be completed. If the size of the plan exceeds 11x17 then additional copies may be requested.
  - . Plan shall show existing property lines and any prominent features on the site.
- 2. A minimum of the following photographs labeled to indicate the direction of view:
  - Current photos of the structure as seen from the street and/or façade of alteration;
  - . Close up of existing detail in present condition proposed for alteration.

Date: 10/22/14
Property Address: Zo2 W EXCHANGE Owner's Name: BOB DEDIC
Phone One: 123 6336 Other Phone: 277 9446 Email: DEDICS AUTOBODY 6 HOT M.
Applicants Address: 1701 W MAIN ST Applicants Name: Bob DEDIC
Phone One: Sout Email: Sout
Does the property have or will it have before the proposed project completion date, a fire alarm system or a smoke alarm complying with the requirements of the Stille-DeRosset-Hale single state construction code act, 1972 PA 230, MCL 125.1501-12501531*.
Description of Work proposed, BE SPECIFIC (attach sheets describing activities, materials, dimensions, etc.)
Applicant's Signature
Property Owner's Signature
Please contact Josh Adams for further information 989.494.3344 during business hours, or josh.adams@ci.owosso.mi.us.

Return to City Hall, 301 W. Main St., Owosso, MI 48867

\*"Fire alarm system" means a system designed to detect and annunciate the presence of fire or by-products of fire. Fire alarm system includes smoke alarms. "Smoke alarm" means a single-station or multiple-station alarm responsive to smoke and not connected to a system. As used in this subdivision, "single-station alarm" means an assembly incorporating a detector, the control equipment, and the alarm sounding devices into a single unit, operated from a power supply either in the unit or obtained at the point of installation.

"Multiple station alarm" means 2 or more single station alarms that are capable of interconnection such that actuation of 1 alarm causes all integrated separate audible alarms to operate.

PAINT MATERIAL LIST: \* ADHESION PROMOTOR. \* SENERFLEX DRIVE IT. \* LATEX PAINT NOT YET DONE.

